

Standard Open Frame Generators – Durable power delivery

The Honda EC range of open-frame generators are robust and durable enough to cope with everyday use – making them ideal for hire and construction applications. Designed to meet the need for practical, reliable power whenever and wherever it's needed.

Quality guarantee



domestic use



commercial use

The EC and ECM range come with a cast iron two year warranty for domestic use, or 12 months warranty for commercial use, covering both parts and labour.

For details of your nearest Honda Specialist Dealer call the Honda Contact Centre on **0845 200 8000** or visit www.honda.co.uk to buy on-line.

EC range



EC 2200

Features and benefits:

- 2200W maximum output
- Low noise design, only 74dB(a) @ 7m
- 2.8hrs running time on a single tank of fuel
- Honda GX160 4-stroke engine
- High quality welded open frame
- Dual voltage 115/230V AC output
- Oil alert

2.8 hrs
35kg
74dB(a)*
2200W



EC 4000

Features and benefits:

- 3800W maximum output
- Low noise design, only 75dB(a) @ 7m
- 2.8hrs running time on a single tank of fuel
- Honda GX270 4-stroke engine
- High quality welded open frame
- Dual voltage 115/230V AC output
- Oil alert

2.8 hrs
60kg
75dB(a)*
3800W



EC 6000

Features and benefits:

- 6000W maximum output for heavy duty use
- Low noise design, only 75dB(a) @ 7m
- 2.3hrs running time on a single tank of fuel
- Honda GX390 4-stroke engine
- High quality welded open frame
- Dual voltage 115/230V AC output
- Oil alert

2.3 hrs
75kg
75dB(a)*
6000W

Technical specification

Model	EC 2200	EC 4000	EC 6000	EC 4D	ECM 2800
Max hp	5.5 hp	9 hp	13 hp	9 hp	6.5 hp
Noise Level	74dB(a)*	75dB(a)*	75dB(a)*	74dB(a)*	72dB(a)*
Max output	2.2kW	3.8kW	6kW	4kW	2.8kW
Rated output	2kW	3.4kW	5.5kW	3.7kW	2.5kW
Output voltage	115/230V	115/230V	115/230V	115/230V	115/230V

Dimensions					
Length	585mm	800mm	800mm	800mm	645mm
Width	435mm	550mm	550mm	550mm	435mm
Height	440mm	540mm	540mm	580mm	490mm
Dry weight	35kg	60kg	75kg	99kg	50kg

Operating time					
1/4 rated load	2.8 hrs	2.8hrs	2.3 hrs	3.3 hrs	10 hrs
Fuel tank capacity	3.6 litres	6 litres	6.5 litres	4.6 litres	15 litres
Fuel type	Petrol	Petrol	Petrol	Diesel	Petrol

*Operating noise level measured @ 7 metres



EC 4D

Features and benefits:

- 4000W maximum output
- Low noise design, only 74dB(a) @ 7m
- 3.3hrs running time on a single tank of fuel
- Honda GD411 diesel engine
- High quality welded open frame
- Dual voltage 115/230V AC output
- Oil alert

3.3 hrs
99kg
74dB(a)*
4000W




ECM 2800

Features and benefits:

- 2800W maximum output
- Reduced noise design, only 72dB(a) @ 7m
- Extended 10hrs running time on a single tank of fuel
- Honda GX200 4-stroke engine
- High quality welded open frame
- Dual voltage 115/230V AC output
- Oil alert

10 hrs
50kg
72dB(a)*
2800W

Design innovations




HONDA
The Power of Dreams

HONDA
The Power of Dreams



HONDA DEALER STAMP

Standard Open Frame Generators



These specification details do not apply to any particular product which is supplied or offered for sale. The manufacturers reserve the right to vary their specifications, including colours, with or without notice and at such times in such manner as they think fit. Major as well as minor changes may be involved. Every effort, however, is made to ensure the accuracy of the particulars contained in this brochure. This publication shall not constitute in any circumstances whatsoever an offer by the Company to any person. All sales are made by the Distributor or Dealer concerned subject to and with the benefit of the standard Conditions of Sale and Warranty given by the Distributor or Dealer, copies of which may be obtained from him on request. This publicity material applies to the UK only Trade Descriptions Act (1968). Whilst efforts are made to ensure specification accuracy, brochures are prepared and printed several months in advance of distribution and consequently cannot always immediately reflect either changes in specification or in some isolated cases the provision of a particular feature. Customers are always advised to discuss specification details with the supplying Dealer especially if your model selection is dependent upon one of the features advertised.

Honda (UK) – Power Equipment

470 London Road, Slough, Berkshire, SL3 8QY

Honda Contact Centre: 0845 200 8000

www.honda.co.uk



Printed on Recycled Paper

A division of Honda Motor Europe Ltd. No. 857969 Registered in England and Wales

PE-SGMAIL-END0201