

# SUBMERSIBLE

INDUSTRIAL DRAINAGE

## OM2

- 32mm (1¼") outlet
  - manual
  - automatic
  - 110 volts
  - 230 volts
- ✓ Cellars
  - ✓ Sumps
  - ✓ Processing
  - ✓ Fixed systems
  - ✓ Basement waterproofing

The **OM2** pump is a strong and efficient pump in 304 stainless steel and engineering plastics. Excellent flow and head are produced from an energy efficient 150-watt motor, which makes it ideal for many domestic and industrial jobs, particularly cellar, ponds, water features and processing duties. It is also popular with water companies, who select it for its advanced features and reliability. The close, compact positioning of the optional, integral tube float switch (**OMA2**), is particularly suited to applications where a sump is narrow or where a traditional pendant type float's operation could be fouled. Long term, trouble free operation is enhanced further with an integral vent valve to prevent air locking. The 403 stainless steel shaft is fitted with an ultra hardwearing, silicon carbide, double mechanical seal, (in an oil chamber), and a semi-vortex impeller that will give suspended soft solids handling. Supplied with 10 metres of heavy duty, H07RN-F rubber power cable. Users of 230volts have the option to select from two versions: the "**domestic**" is supplied with a hose tail and a hose clip (for fitting to flexible discharge hose) and a 3 pin plug fitted with a 5 amp fuse. The "**industrial**" is supplied with a female BSP outlet (for fitting rigid waste pipe) but without a plug. 110volt pumps are supplied as "**industrial**".




**OMA2 (domestic)**



**OM2 (domestic)**



**OMA2 (industrial)**



### ACCESSORIES

- Reducing hose tails page 94
- Non return valves page 103
- Nipples page 97

model	Manual or Auto	outlet (mm/BSPF)	kW	volt	flow (l/min)	head (mtrs)	free passage (mm)	w x l x h (mm)	on level (mm)	off level (mm)	weight (kgs)
OM2 <i>industrial</i>	M	1¼"	0.15	110•230	195	7.5	10	140x203x316	-	-	5.9
OMA2 <i>industrial</i>	A	1¼"	0.15	110•230	195	7.5	10	177x203x319	251	81	6.1
OM2 <i>domestic</i>	M	32	0.15	230	195	7.5	10	140x203x316	-	-	5.9
OMA2 <i>domestic</i>	A	32	0.15	230	195	7.5	10	177x203x319	251	81	6.1